

P R O G R A M M E

5. International Symposium on **Complications in GI Endoscopy**

How to diagnose, how to treat and how to prevent!

**02
Nov
2017**



02 November 2017
Crowne Plaza Hamburg, Germany

Course Director
Peter N. Meier, Hannover

Honorary President
Friedrich Hagenmüller, Hamburg

Scientific Committee
Marc Barthet, Marseille
Paul Fockens, Amsterdam
Ian Gralnek, Haifa
James Lau, Hong Kong
Horst Neuhaus, Düsseldorf
Michael Wallace, Jacksonville

State of the Art Lecture
Friedrich Hagenmüller, Hamburg

www.complications-in-endoscopy.com

Endorsed by



Schirmherrschaft der



**CALL FOR
ABSTRACTS**



ovesco
innovation in scope



OTSC® in first-line treatment of GI bleeding reduces rebleeding risk significantly more than if used as a bail-out solution in subsequent line therapy*

OTSC® as first-line therapy – highest efficacy in GI bleeding

Ovesco Endoscopy AG

Dorfackerstr. 26, 72074 Tübingen/Germany
Phone +49 (0) 7071.96528-160, Fax +49 (0) 7071.96528-260

www.ovesco.com



* Richter-Schrag H-J, Glatz T, Walker C, Fischer A, Thimme R. First-line endoscopic treatment with over-the-scope clips significantly improves the primary failure and rebleeding rates in high-risk gastrointestinal bleeding: A single-center experience with 100 cases. World Journal of Gastroenterology. 2016;22(41):9162-9171. doi:10.3748/wjg.v22.i41.9162.

<http://ovesco.com/index.php?id=171>

5. International Symposium on Complications in GI Endoscopy

02
Nov
2017

Contents

Scientific Committee	5
Welcome: Let's talk about it – again!	6
Programme Thursday, 2 November 2017	8
Poster session, call for abstracts	10
Faculty	12
Registration	14
General Information	15
ENDO CLUB NORD	16
Registration Form	17

Course Director

Dr. Peter N. Meier, FASGE
Director of the Department of Gastroenterology,
Interventional Endoscopy and Metabolic Diseases
DIAKOVERE Henriettenstift
Marienstr. 72-90
30171 Hannover
Germany

www.complications-in-endoscopy.com



OVE_Anzeige_Rev01_2016-12-23

MOVIPREP®

VERTRAUEN
DURCH KLARHEIT



Verträgliche und
wirksame Darmreinigung

ENDOCUFF VISION®

Verbesserung
der Endoskopie-Effizienz



Anwenderfreundliche und
effektive Koloskopie

MOVIPREP®/MOVIPREP® Orange, Pulver zur Herstellung einer Lösung zum Einnehmen. Zusammensetzung: Beutel A enthält: Macrogol 3350 100 g, Natriumsulfat 7,5 g, Natriumchlorid 2,691 g, Kaliumchlorid 1,015 g; Beutel B enthält: Ascorbinsäure 4,7 g, Natriumascorbat 5,9 g. **Hilfsstoffe MOVIPREP®:** Aspartam (E951), Acesulfam-Kalium (E950), Zitronenaroma. **Hilfsstoffe MOVIPREP® Orange:** Aspartam (E951), Acesulfam-Kalium (E950), Orangenaroma. **Anwendungsgebiete:** Zur Darmreinigung vor klinischen Maßnahmen bei Erwachsenen, die einen sauberen Darm erfordern, z.B. endoskopische oder radiologische Untersuchungen des Darms. **Gegenanzeigen:** Gastrointestinale Obstruktion oder Perforation, Störungen der Magenentleerung, Ileus, Phenylketonurie (MOVIPREP® Orange enthält Aspartam), Glukose-6-Phosphatdehydrogenase-Mangel (MOVIPREP® Orange enthält Ascorbat), Überempfindlichkeit gegen einen der arzneilich wirksamen Bestandteile oder einen der sonstigen Bestandteile, toxisches Megakolon als Komplikation schwerer entzündlicher Darmerkrankungen. MOVIPREP®/MOVIPREP® Orange darf nicht bei bewusstlosen Patienten angewendet werden. **Nebenwirkungen:** Sehr häufig: Abdominalschmerz, Übelkeit, abdominale Aufblähung, Analreizungen, Krankheitsgefühl, Fieber. Häufig: Schlafstörungen, Schwindel, Kopfschmerzen, Erbrechen, Dyspepsie, Rigor, Durst, Hunger. Gelegentlich: Dysphagie, Leberfunktionstests anormal. Nicht bekannt: Allergische Reaktionen einschließlich anaphylaktische Reaktionen, Dyspnoe und Hautreaktionen, Elektrolytverschiebungen, einschließlich Bikarbonatkonzentration im Blut vermindert, Hyper- und Hypokalzämie, Hypophosphatämie, Hypokaliämie und Hyponatriämie sowie Änderungen der Chloridkonzentration im Blut, Dehydratation, Krampfanfälle im Rahmen einer ausgeprägten Hyponatriämie, vorübergehender Anstieg des Blutdrucks, Arrhythmie, Palpitationen, Flatulenz, Brechreiz, Allergische Hautreaktionen einschließlich Angioödem, Pruritus, Urticaria, Hautausschlag, Erythem. **Handelsformen:** Eine Anwendung besteht aus 2 Btl. A und 2 Btl. B. Packungsgrößen von 1 (N 1), 10, 40, 80, 160 und 320 Packungen einer einzelnen Anwendung. Klinikpackung mit 40 einzelnen Anwendungen. Apothekenpflichtig. Stand 03/2016

MOVIPREP NORGINE und das Norgine-Segel sind eingetragene Marken der Norgine Unternehmensgruppe. ENDOCUFF VISION ist eine Marke von Arc Medical Design Limited.

Norgine GmbH
Postfach 1840
D-35041 Marburg
Internet: www.norgine.de
e-mail: info@norgine.de



DE/MPRR/1215/0206b

Scientific Committee

Our very special thanks go to the members of the Scientific Committee who put a lot of personal engagement in helping to select topics and renowned speakers to make this symposium a useful tool for every endoscopist in his every-day clinical practice.



Marc Barthet
Marseille



James Lau
Hong Kong



Paul Fockens
Amsterdam



Horst Neuhaus
Düsseldorf



Ian Gralnek
Haifa



Michael Wallace
Jacksonville

Let's talk about it - again!



Dear friends and colleagues,

Being committed endoscopists, we are all concerned that even minor invasive procedures may have side effects which might result in a so-called complication. The evolving advances, not only in image quality but also in invasive or surgical concepts and in patient care, need a permanent process of reflection.

As in the years before, the aims of the symposium are to

- *identify* critical incidents and complications
- *communicate* unforeseen events
- *develop* strategies to avoid or minimize complications
- *demonstrate* therapeutical measures for the eventuality of a complication

which we will discuss under technical, procedural, ethical, psychological and legal aspects.

The 2017 symposium faces two major changes:

- *location*: the symposium moves from Hannover to **Hamburg**
- *date*: the symposium takes place in **November**, directly before the ENDO CLUB NORD meeting with live endoscopy

This means: With coming to Germany once you have the chance to attend two complementing meetings. This is especially attractive with our combined tickets.

Honorary president of the 5. International Symposium on Complications in GI Endoscopy will be Prof. Dr. Friedrich Hagenmüller. As you all know, Friedrich Hagenmüller has an international reputation not only as an excellent endoscopist but as a gastroenterologist with vast experience in the whole spectrum of our field.



A highlight of our symposium will be his State of the Art Lecture on "Interval cancers: Clinical entity or insufficient endoscopy?"

Like in the years before **we especially encourage you and your co-workers to send in relevant abstracts**. A selected abstract will be presented as lecture in the main programme, all others will be shown in the poster exhibition.

We invite you to join us in Hamburg for the symposium on 2 November 2017 and stay further for the ENDO CLUB NORD meeting on 3 and 4 November 2017.

Peter N. Meier

Thursday, 02 November 2017

08.30 Welcome **P.N. Meier**

08.45 - 10.30 Session 1: New procedures – new complications

Chair: **H.-D. Allescher, C. Rees**

08.45 Bariatric endoscopy **T. Rösch**
 09.05 Ampullary tumors and duodenal polyps **H. Neuhaus**
 09.25 POEM and STER **P. Fockens**
 09.45 Interventional EUS **M. Barthet**
 10.05 Video I **J. Pohl**
 10.15 Discussion

10.30 - 11.00 Coffee break

11.00 - 13.00 Session 2: Classic complications

Chair: **D. Hartmann, P. Siersema**

11.00 Post ERCP pancreatitis **A. Meining**
 11.20 Prevention of bleeding and perforation **I. Gralnek**
 11.40 How to treat bleeding and perforation **J. Lau**
 12.00 Stent misplacement **R. Jakobs**
 12.20 Endoscopy and enteral feeding **A. Dormann**
 12.40 Video II **M. Wallace**

13.00 - 14.00 Lunch break

14.00 - 15.30 Session 3: Quality and interdisciplinarity

Chair: **I. Gralnek, G. Kähler**

14.00 Quality measurements: scoring systems and registries **M. Wallace**
 14.20 If endoscopy fails: the role of the radiologist **P. Landwehr**
 14.40 When the surgeon needs an endoscopist **C.-T. Germer**
 15.00 My worst case **T. Beyna**
 15.10 Selected poster presentation
 15.20 Discussion

15.30 - 16.00 State of the Art Lecture

Chair: **P.N. Meier**

Welcome address by the President of the UEG **M.P. Manns**

Interval cancers: Clinical entity or insufficient endoscopy? **F. Hagenmüller**

16.00 - 16.30 Coffee break with poster session

Chair: **C. Rees, H.-J. Schulz**

16.30 - 18.30 Working groups

WG 1 Colonoscopy **E. Fedorov, P. de Groen, A. Meining**
 WG 2 EMR/ESD **G. Kähler, J. Lau, H. Messmann**
 WG 3 ERCP **D. Hartmann, M. Jung, P. Siersema**
 WG 4 EUS **M. Barthet, H. Neye, E. Santo**

19.30 Congress Dinner at the Elb-Panorama

 **Saturday, 04 November 2017 during ENDO CLUB NORD**

10.10 - 10.30 Reports, summaries and take-home messages of the working groups **H. Neumann**

Poster session, call for abstracts

Poster Committee: **C. Rees, H.-J. Schulz**

Posters will be exhibited on 02 November 2017 at the Crowne Plaza Hotel Hamburg.

The authors will be in attendance during the coffee break on Thursday, 16.00 - 16.30, while the Poster Committee will evaluate the posters.

Call for abstracts

Please submit your poster abstract by Thursday, 31 August 2017. Only one-page abstracts not exceeding 250 words, written in English and saved in Microsoft Word format will be accepted.

Abstracts must be submitted via our Internet Abstract Submission System (<http://www.falkfoundation.com/poster>) where further information regarding the submission format and the submission process is available.

Please visit our congress website www.complications-in-endoscopy.com for a link to the Falk Foundation abstract submission.

The abstracts will undergo a review by the Scientific Committee, preference being given to those thematically related to one of the sessions of the programme. We especially encourage submissions of cases. Have you, for example:

- come across a very rare or unusual complication?
- developed a special technique to deal with specific complications?
- experienced a disaster?

Then we invite you to send us your abstract!

All accepted abstracts will be printed and distributed to the participants of the congress together with the meeting document pack. The authors will receive notification about acceptance and further instructions by 20 September 2017.

The first author of any accepted poster is invited to take part in the symposium **free of registration fee**. Please note: Travel expenses are not covered.

Contact address for questions concerning the poster submission:

Falk Foundation e.V.

Leinenweberstr. 5

79041 Freiburg, Germany

Phone: +49 (0)761 / 15 14-0

Fax: +49 (0)761 / 15 14-359

Web address for submitting poster abstracts:

<http://www.falkfoundation.com/poster>

Poster prizes

Oral presentation

The Scientific Committee will select one poster for oral presentation. The presenting author will receive free registration fee, accommodation and travel expenses.

Poster Award

The Poster Committee will select three posters during the poster session who present especially interesting cases or studies regarding complications in endoscopy. They win a prize certificate and EUR 750,-.

Deadline for submission of abstracts:

Thursday, 31 August 2017

Faculty

Allescher, Hans-Dieter, Prof. Dr., Klinik für Gastroenterologie, Hepatologie, Stoffwechsel, Klinikum, Garmisch-Partenkirchen, Germany

Barthet, Marc, Prof. Dr., Service d'hépatogastroentérologie, Hôpital Nord, Marseille, France

Beyna, Torsten, Dr., Medizinische Klinik, Evangelisches Krankenhaus Düsseldorf, Germany

de Groen, Piet, Prof. Dr., Division of Gastroenterology, Hepatology and Nutrition, University of Minnesota, Minneapolis, USA

Dormann, Arno, Prof. Dr., Gastroenterologische Kliniken Köln, Standorte Merheim und Holweide, Köln, Germany

Fedorov, Evgeny, Prof. Dr., Dept. of Digestive Endoscopy, University Hospital No. 31, Moscow, Russia

Fockens, Paul, Prof. Dr., Gastroenterology and Hepatology, Academic Medical Center, University of Amsterdam, Amsterdam, The Netherlands

Germer, Christoph-T., Prof. Dr., Klinik und Poliklinik für Allgemein- und Viszeralchirurgie, Gefäß- und Kinderchirurgie, Universitätsklinikum, Würzburg, Germany

Grainek, Ian, Prof. Dr. FASGE, Dept. of Gastroenterology, Rappaport Faculty of Medicine, Haifa, Israel

Hagenmüller, Friedrich, Prof. Dr., I. Medizinische Abteilung, Asklepios Klinik Altona, Hamburg, Germany

Hartmann, Dirk, PD Dr., Klinik für Innere Medizin, Sana Klinikum Lichtenberg, Berlin, Germany

Jakobs, Ralf, Prof. Dr., Medizinische Klinik C, Klinikum, Ludwigshafen, Germany

Jung, Michael, Prof. Dr. FRCP, Klinik für Gastroenterologie, Onkologie und Diabetologie, St. Hildegardis Krankenhaus, Mainz, Germany

Kähler, Georg, Prof. Dr., Interdisziplinäre Endoskopie, Universitätsmedizin, Mannheim, Germany

Lau, James, Prof. Dr., Endoscopy Center, Prince of Wales Hospital, Hong Kong, China

Landwehr, Peter, Prof. Dr., Klinik für diagnostische und interventionelle Radiologie, DIAKOVERE Henriettenstift, Hannover, Germany

Manns, Michael P., Prof. Dr., Klinik für Gastroenterologie, Hepatologie und Endokrinologie, Medizinische Hochschule Hannover, Germany

Meier, Peter N., Dr. FASGE, Klinik für Gastroenterologie, DIAKOVERE Henriettenstift, Hannover, Germany

Meining, Alexander, Prof. Dr., Klinik für Innere Medizin I, Universitätsklinik Ulm, Ulm, Germany

Messmann, Helmut, Prof. Dr., III. Medizinische Klinik, Klinikum Augsburg, Augsburg, Germany

Neuhaus, Horst, Prof. Dr., Medizinische Klinik, Evangelisches Krankenhaus Düsseldorf, Germany

Neumann, Helmut, Prof. Dr., Interdisziplinäre Endoskopie, Universitätsklinikum Mainz, Germany

Neye, Holger, Dr., Klinik für Innere Medizin II, Helios Klinikum Emil von Behring, Berlin, Germany

Pohl, Jürgen, Prof. Dr., I. Medizinische Abteilung, Asklepios Klinik Altona, Hamburg, Germany

Rees, Colin, Prof. Dr., South Tyneside District Hospital, South Shields, United Kingdom

Rösch, Thomas, Prof. Dr., Klinik für interdisziplinäre Endoskopie, Universitätsklinikum Hamburg-Eppendorf, Hamburg, Germany

Schulz, Hans-Joachim, Prof. Dr., Klinik für Inneren Medizin, Sana Klinikum Lichtenberg, Berlin, Germany

Santo, Erwin, MD, Dept. of Gastroenterology and Liver Diseases, Sourasky Medical Center Tel Aviv, Israel

Siersema, Peter, Prof. Dr., Dept. of Gastroenterology and Hepatology, Radboud University Medical Center, Nijmegen, The Netherlands

Wallace, Michael, MD, PhD, Prof., Dept. of Gastroenterology, Mayo Clinic Hospital Jacksonville, FL, USA

Registration

Registration fee

The registration fee includes access to the lecture hall, choice of one working group, coffee breaks, lunch buffet, certification of participation and Get-Together on Wednesday.

Please register online by www.complications-in-endoscopy.com

Prices for the Symposium on Complications in GI Endoscopy, 2 Nov 2017

Registration and payment received	by 20 September 2017	from 21 September 2017
Physician	EUR 120,-	EUR 150,-
Member ESGE, DGVS	EUR 100,-	EUR 130,-
Nurse and students	EUR 40,-	EUR 60,-
Team ticket (1 physician, 2 nurses)	EUR 180,-	EUR 240,-

Prices for combined ticket with the ENDO CLUB NORD, 2 - 4 Nov 2017

Registration and payment received	by 20 September 2017	from 21 September 2017
Physician	EUR 320,-	EUR 370,-
Member ESGE, DGVS	EUR 250,-	EUR 320,-
Nurse and students	EUR 90,-	EUR 130,-
Team ticket (1 physician, 2 nurses)	EUR 450,-	EUR 610,-

Payment

Please deposit the total amount to the account indicated below by October 16, 2017:

COCS GmbH, Munich, Germany · HypoVereinsbank München
IBAN: DE30700202700039613140 · SWIFT/BIC: HYVEDEMMXXX
Reference: **CIE 2017** and name of participant

Please note that we do not cover any bank charges.

Cancellation

In case of cancellation until 16 October 2017 a service fee of EUR 20,- will be deducted from the refund amount. Registration fees will not be refunded if cancellations are received at a later date.

Website

www.complications-in-endoscopy.com

General Information

Meeting Venue

Hotel Crowne Plaza Hamburg – City Alster
Graumannsweg 10 · 22087 Hamburg · Germany

Room reservation

We have reserved a number of rooms at a special congress rate, valid until 4 September 2017. Please book your room directly at the hotel by phone +49 (0)40 2280 150 or by email reservation@hamge.crowneplaza.com using the reference **CIE2017**.

Single Room EUR 145,-

Double Room EUR 165,-

Room rates include breakfast, all service charges and VAT.

Language

The congress language is English.

Get-Together

Wednesday, 1 November 2017, starting 19.00. Participants are invited to a Get-Together at the Hotel Crowne Plaza Hamburg with drinks and light warm and cold dishes. The Get-Together is included in the registration fee.

Congress Dinner

Thursday, 2 November 2017

The fee includes bus transportation from the meeting venue to the restaurant and back and the dinner at the Elb-Panorama. Charge EUR 45,- per person

Contact

COCS GmbH – Congress Organisation C. Schäfer
Rosenheimer Str. 145 c · 81671 Munich · Germany
Phone: +49 (0)89 89 06 77-0 · Fax: +49 (0)89 89 06 77-77
E-mail: sandra.reber@cocs.de · www.cocs.de

Liability

The congress organizer will bear no liability for loss, accident, damage or injury to person or property irrespective of the cause. The client participates at all sessions, tours and events at his/her own risk. Sole place of jurisdiction is Munich, Germany. German law is applicable.

ENDOCLUBNORD

2017 | 03. + 04. NOVEMBER
HAMBURG MESSE WEST

Course Directors

Prof. Dr. Siegbert Faiss, Asklepios Klinik Barmbek
Prof. Dr. Jürgen Pohl, Asklepios Klinik Altona
Prof. Dr. Thomas Rösch, Universitätsklinikum Hamburg-Eppendorf

Programme

Friday, 3 November 2017

9.00 - 18.00 Live Endoscopy from the three participating
Hamburg hospitals
Lectures

Saturday, 4 November 2017

9.00 - 13.00 ENDOCLUBNORD Highlights
Summary Lecture of Complications Symposium
Innovations in GI Endoscopy

Meeting Venue

Hamburg Messe
Entrance West, Hall A3
Lagerstrasse · 20357 Hamburg · Germany

Arrival

Metro and S-Bahn Station „Sternschanze“

Website

www.endoclubnord.com

REGISTRATION FORM

I will register for the

5. International Symposium on Complications in GI Endoscopy 2 November 2017, Hotel Crowne Plaza Hamburg

Registration and payment received by 20 September 2017 from 21 September 2017

<input type="checkbox"/> Physician	EUR 120,-	EUR 150,-
<input type="checkbox"/> Member ESGE	EUR 100,-	EUR 130,-
<input type="checkbox"/> Member DGVS	EUR 100,-	EUR 130,-
<input type="checkbox"/> Nurse	EUR 40,-	EUR 60,-
<input type="checkbox"/> Student	EUR 40,-	EUR 60,-
<input type="checkbox"/> Team ticket	EUR 180,-	EUR 240,-
<input type="checkbox"/> 1 Physician and to 2 nurses*		

Combined ticket with the ENDO CLUB NORD

2-4 November 2017, Hotel Crowne Plaza and Messe Hamburg

Registration and payment received by 20 September 2017 from 21 September 2017

<input type="checkbox"/> Physician	EUR 320,-	EUR 370,-
<input type="checkbox"/> Member ESGE	EUR 250,-	EUR 320,-
<input type="checkbox"/> Member DGVS	EUR 250,-	EUR 320,-
<input type="checkbox"/> Nurse	EUR 90,-	EUR 130,-
<input type="checkbox"/> Student	EUR 90,-	EUR 130,-
<input type="checkbox"/> Team ticket	EUR 450,-	EUR 610,-
1 Physician and to 2 nurses*		

* Last name and first name of the nurses attending:

1. _____

2. _____

Please choose **one** of the following working groups on Thursday, 2 November 2017, from 16.30 – 18.30

- WG 1: Colonoscopy
- WG 2: EMR/ESD
- WG 3: ERCP
- WG 4: EUS

- I take part in the Get-Together, Wednesday, 1 November 2017 19.00 at the Hotel Crowne Plaza Hamburg
- I take part in the Congress Dinner, Thursday, 2 November 2017 19.30 at the restaurant Elb-Panorama for EUR 45,-

Payment

- Bank transfer (details see page 14)
- Credit card Visa Master

Credit Card Number _____

Name of credit card holder _____

Exp. Date (Month/Year) _____

Date, Signature

REGISTRATION

Please register online by www.complications-in-endoscopy.com or by fax +49 - (0)89 - 89 06 77 - 77

COCs GmbH
Congress Organisation C. Schaefer
Rosenheimer Str. 145c
81671 Munich
Germany

Ms. Mr. Prof. PD Dr. Dr.

Last Name

First Name

Hospital/Institute/Practice

Department

Street

Zip Code

City

Area Code

Phone

E-mail

Statistics: Office-based physician Hospital-based physician

Specialisation: Gastroenterology Surgery Internal medicine Others



Once daily
in Crohn's disease and collagenous colitis¹



Straight to the point

Budesonide
Budenofalk® 9mg
Granules

Targeted steroid efficacy
with less side effects²

Fruity lemon flavour

¹ Mild to moderately active Crohn's disease affecting the ileum and/or the ascending colon and active collagenous colitis, respectively. ² Compared to systemic steroids (Andus T et al., Dig Dis Sci. 2003;48:373-8. Chande N et al., Cochrane Database Syst Rev. 2008; Issue 2:CD003575. Miehke S et al., Gastroenterology. 2014;146:1222-30. Tromm A et al., Gastroenterology. 2011;140:425-434.)

Budenofalk® 3mg capsules; Budenofalk® 9mg gastro-resistant granules, Budenofalk® Rectal Foam. Active ingredient: budesonide. **Composition:** 1 gastro-resistant hard capsule of Budenofalk® 3mg (= hard capsule with gastro-resistant pellets) contains: active ingredient: 3 mg budesonide. One sachet of Budenofalk® 9mg gastro-resistant granules contains: active ingredient: 9 mg budesonide. Other ingredients for the capsules and the granules: povidone K25, lactose monohydrate, sucrose, talc, maize starch, methacrylic acid-methyl methacrylate copolymer (1:1), methacrylic acid-methyl methacrylate copolymer (1:2), ammonio methacrylate copolymer (type B), ammonio methacrylate copolymer (type A) (= Eudragit L, S, RS and RL), triethyl citrate. Additionally capsules: titanium dioxide (E171), purified water, gelatin, erythrosine (E127), iron(II,III) oxide (E172), iron(III) oxide (E172), sodium lauryl sulfate. Additionally granules: lemon flavour, citric acid anhydrous, magnesium stearate, sucralose, sorbitol (E420), xanthan gum. Each actuation of Budenofalk® Rectal Foam contains: active ingredient: 2 mg budesonide. Other ingredients: cetyl alcohol, cetostearyl alcohol, polysorbate 60, purified water, sodium edetate, macrogolstearyl ether, propylene glycol, citric acid monohydrate, propellant gases: butane, 2-methylpropane, propane. **Indications:** Budenofalk® 3mg capsules: Mild to moderate active Crohn's disease affecting the ileum and/or the ascending colon. Budenofalk® Rectal Foam: For the treatment of active ulcerative colitis limited to the rectum and the sigmoid colon. **Contraindications:** Hypersensitivity to budesonide or any of the other ingredients. Hepatic cirrhosis. Pregnancy. Lactation. Children. Close medical supervision is required in the following diseases: septicaemia, tuberculosis, hypertension, diabetes mellitus, osteoporosis, peptic ulcer (gastric or duodenal), glaucoma, cataract, family history of diabetes or glaucoma. Chickenpox, herpes zoster or measles. Local infections of the intestine (bacteria, fungi, amoebae, viruses). Severe hepatic impairment. Late stage primary biliary cirrhosis (PBC). Additionally capsules and granules: hereditary problems of galactose intolerance, fructose intolerance, (the Lapp) lactase deficiency, sucrase isomaltase insufficiency, glucose galactose malabsorption. **Side effects:** Cushing's syndrome: moon-face, truncal obesity, reduced glucose tolerance, diabetes mellitus, hypertension, sodium retention with oedema formation, increased excretion of potassium, inactivity and/or atrophy of the adrenal cortex, red striae, steroid acne, disturbance of sex hormone secretion (e.g. amenorrhoea, hirsutism, impotence), growth retardation in children. Glaucoma, cataract, gastric complaints, gastroduodenal ulcer, pancreatitis, constipation. Increased risk of infection. Muscle and joint pain, muscle weakness and twitching, osteoporosis. Aseptic necrosis of bone (femur and head of the humerus). Headache, pseudotumor cerebri including papillary oedema in adolescents. Depression, irritability, euphoria, manifold psychiatric effects or such as impaired behaviour. Allergic exanthema, petechiae, ecchymosis, delayed wound healing, contact dermatitis. Increased risk of thrombosis, vasculitis (withdrawal syndrome after long-term therapy). Fatigue, malaise. Additionally Rectal Foam: urinary tract infections, anaemia, increase in erythrocyte sedimentation rate, leukocytosis, increased appetite, insomnia, dizziness, disturbances of smell, hypertension, nausea, abdominal pain, dyspepsia, flatulence, paraesthesias in the abdominal region, anal fissure, aphthous stomatitis, frequent urge to defecate, haemorrhoids, rectal bleeding, increase in transaminases (GOT, GPT), increase in parameters of cholestasis (GGT, AP), acne, increased sweating, increase in amylase, change in cortisol, burning in the rectum and pain, asthenia, increase in body weight. Side effects typical of systemic glucocorticosteroids may occur (the risk of side effects from Budenofalk® is generally lower). **Interactions and dosage:** see patient information leaflet. Available on prescription only.

Date of information: 03/2014

DR. FALK PHARMA GmbH



Leinenweberstr. 5
79108 Freiburg
Germany

www.dralfkpharma.com

IMAGINE...
Biopsies Were
Needless

UP TO
86%
LESS BIOPSIES ^(1,2)

Explore How NBI and Dual Focus Play a Role in Reducing the Need for Biopsies

EVIS EXERA III makes confirmed optical diagnosis of colon polyps a reality today. Numerous studies have proven that Olympus' pioneering technologies can help physicians exceed the accepted benchmarks of 90% NPV for adenomas and a 90% correlation to histopathologically determined surveillance intervals. ^(1,2)

EVIS EXERA III is preparing physicians for the next step in GI diagnosis.

EVIS EXERA III – it's proven.

➤ Explore the evidence at: www.olympus.eu/proven

OLYMPUS EUROPA SE & CO. KG

Postbox 10 49 08, 20034 Hamburg, Germany
Phone: +49 40 23773-0 | www.olympus-europa.com

¹ McGill et al. 2013; Gut 62(12):1704-13
² Kaltenbach et al. 2014; Gut 64(10):1569-77